

Ref : WCAT-TRAV2013

issued by : SD

Date : 06/2012




up-date : 0

Page : 1/

## HOBIE WILD CAT

### KIT RACE FRONT CROSSBAR WILD CAT 2013

#### Assembly instructions

Illustration	Steps	Description
	1	Overview once the kit is mounted.
	2	Steps to be followed for the jib sheet :  Feed the shock cord through the simple block and take it to the opposite insert that is pre-equipped with a double block.  Lead the jib sheet through the ring of the shock cord and take it to the opposite insert that is pre-equipped with a double block.
	3	Feed the shock cord in one sheave of the double block and stop with a bowline knot.  Feed the jib sheet in the 2nd sheave of the double block and take it back to the opposite side of the crossbar and lead it outside through the eylet.

Ref : WCAT-TRAV2013

issued by : SD

Date : 06/2012



up-date : 0

Page : 2/

## HOBIE WILD CAT

### KIT RACE FRONT CROSSBAR WILD CAT 2013

#### Assembly instructions

Illustration	Etapas	Description
 <p>A close-up photograph of a black metal crossbar assembly. A yellow braided rope is inserted through hole A on the right. A black chain is inserted through hole B on the left. Hole C is located in the center of the crossbar. The assembly is mounted on a wooden beam.</p>	4	<p>Insert in the middle of the crossbar :</p> <p>A = hole for the jib sheet</p> <p>B = hole for the cunningham</p> <p>C = hole for the two trapeze shock cords</p>
 <p>A close-up photograph of a hand holding a black circular plate with three holes labeled A, B, and C. A yellow braided rope is inserted through hole A, and a black chain is inserted through hole B. Hole C is in the center. The plate is being positioned to fit onto the crossbar assembly.</p>	5	<p>The assembly of the kit is finished.</p> <p>For information, the cunningham line is assembled just in the same way as the jib sheet (see instructions above)</p> <p>The trapeze shock cords are led directly from one side to the opposite side of the crossbar through the hole C in the middle of the crossbar.</p>

Ref : WCAT-TRAV2013

issued by : SD

Date : 06/2012

up-date : 0

Page : 3/

**HOBIE WILD CAT****KIT RACE FRONT CROSSBAR WILD CAT 2013**

HOBIE CAT EUROPE

ZI Toulon Est, BP 250, 83078 Toulon cedex 9, France

Tel +33 (0)494 08 78 78 - Fax +33 (0)494 08 13 99

E-mail : [info@hobie-cat.net](mailto:info@hobie-cat.net) - site web [www.hobie-cat.net](http://www.hobie-cat.net)